

Bewehrungstechnik



Bewehrungstechnik, Wandanschlüsse

Falls erforderlich, gibt es für alle Wandanschlüsse eine Typenprüfung laut ÖNORM.


Für alle Wandanschlüsse: Preise auf Anfrage!

Einzelleiste



Zeichen	Für Wandstärke ab mm	Eisen Ø mm	Bügelabstand in mm	m/Bund	m/Palette
BK 0810	90	8	100	17,5	350
BK 0815	90	8	150	17,5	350
BK 0820	90	8	200	17,5	350
BK 0825	90	8	250	17,5	350
BK 1010	90	10	100	12,5	250
BK 1015	90	10	150	15,0	300
BK 1020	90	10	200	15,0	300
BK 1025	90	10	250	15,0	300
BK 1210	130	12	100	8,75	175
BK 1215	130	12	150	12,5	200
BK 1220	130	12	200	12,5	200
BK 1225	130	12	250	12,5	200

Bügelleiste (Bügelbreite 6cm, Boxbreite 8,5cm)



Zeichen	Für Wandstärke ab mm	Eisen Ø mm	Bügelabstand in mm	m/Bund	m/Palette
BK 081006	130	8	100	10	120
BK 081506	130	8	150	10	120
BK 082006	130	8	200	10	120
BK 082506	130	8	250	10	120
BK 101006	130	10	100	10	120
BK 101506	130	10	150	10	120
BK 102006	130	10	200	10	120
BK 102506	130	10	250	10	120

Bügelleiste (Bügelbreite 9cm, Boxbreite 11,5 cm)



Zeichen	Für Wandstärke in mm	Eisen Ø mm	Bügelabstand in mm	m/Bund	m/Palette
BK 081009	160-180	8	100	7,5	120
BK 081509	160-180	8	150	7,5	120
BK 082009	160-180	8	200	7,5	120
BK 082509	160-180	8	250	7,5	120
BK 101009	160-180	10	100	7,5	120
BK 101509	160-180	10	150	7,5	120
BK 102009	160-180	10	200	7,5	120
BK 102509	160-180	10	250	7,5	120
BK 121009	160-180	12	100	7,5	120
BK 121509	160-180	12	150	7,5	120
BK 122009	160-180	12	200	7,5	120
BK 122509	160-180	12	250	7,5	120

Bügelleiste (Bügelbreite 12cm, Boxbreite 14,5cm)



Zeichen	Für Wandstärke in mm	Eisen Ø mm	Bügelabstand in mm	m/Bund	m/Palette
BK 081012	180-200	8	100	5,0	100
BK 081512	180-200	8	150	5,0	100
BK 082012	180-200	8	200	5,0	100
BK 082512	180-200	8	250	5,0	100
BK 101012	180-200	10	100	5,0	100
BK 101512	180-200	10	150	5,0	100
BK 102012	180-200	10	200	5,0	100
BK 102512	180-200	10	250	5,0	100
BK 121012	180-200	12	100	5,0	100
BK 121512	180-200	12	150	5,0	100
BK 122012	180-200	12	200	5,0	100
BK 122512	180-200	12	250	5,0	100

Bügelleiste (Bügelbreite 15cm, Boxbreite 17,5cm)




Zeichen	Für Wandstärke in mm	Eisen Ø mm	Bügelabstand in mm	m/Bund	m/Palette
BK 081015	200-240	8	100	5,0	100
BK 081515	200-240	8	150	5,0	100
BK 082015	200-240	8	200	5,0	100
BK 082515	200-240	8	250	5,0	100
BK 101015	200-240	10	100	5,0	100
BK 101515	200-240	10	150	5,0	100
BK 102015	200-240	10	200	5,0	100
BK 102515	200-240	10	250	5,0	100
BK 121015	200-240	12	100	5,0	100
BK 121515	200-240	12	150	5,0	100
BK 122015	200-240	12	200	5,0	100
BK 122515	200-240	12	250	5,0	100

Bügelleiste (Bügelbreite 18cm, Boxbreite 20,5cm)



Zeichen	Für Wandstärke in mm	Eisen Ø mm	Bügelabstand in mm	m/Bund	m/Palette
BK 081018	240-270	8	100	5,0	80
BK 081518	240-270	8	150	5,0	80
BK 082018	240-270	8	200	5,0	80
BK 082518	240-270	8	250	5,0	80
BK 101018	240-270	10	100	5,0	80
BK 101518	240-270	10	150	5,0	80
BK 102018	240-270	10	200	5,0	80
BK 102518	240-270	10	250	5,0	80
BK 121018	240-270	12	100	5,0	60
BK 121518	240-270	12	150	5,0	60
BK 122018	240-270	12	200	5,0	60
BK 122518	240-270	12	250	5,0	60

Bügelleiste (Bügelbreite 20cm, Boxbreite 22,5cm)



Zeichen	Für Wandstärke in mm	Eisen Ø mm	Bügelabstand in mm	m/Bund	m/Palette
BK 081020	270-290	8	100	5,0	80
BK 081520	270-290	8	150	5,0	80
BK 082020	270-290	8	200	5,0	80
BK 082520	270-290	8	250	5,0	80
BK 101020	270-290	10	100	5,0	80
BK 101520	270-290	10	150	5,0	80
BK 102020	270-290	10	200	5,0	80
BK 102520	270-290	10	250	5,0	80
BK 121020	270-290	12	100	5,0	60
BK 121520	270-290	12	150	5,0	60
BK 122020	270-290	12	200	5,0	60
BK 122520	270-290	12	250	5,0	60